





INTRODUCTION 01

LARGE OPENINGS 02

EXECUTIVE 04

Applications 05

Customization 06

Controls and 08

Automation

Specifications 10

D00RS 12

LEGACY 14

Applications 15

Customization 16

Specifications 17

PROFESSIONAL 18

Applications 19

Customization 20

Specifications 21

WINDOWS 22

SERENE 24

Applications 25

Customization 26

Specifications 27

PRESTIGE 28

Applications 29

Customization 30

Specifications 31











HIDES SIMPLY



CLOSES SECURELY

Phantom provides retractable screens for







Since 1992, Phantom Screens has expertly manufactured and professionally installed industry leading retractable screens in North America.

Known for superior quality and elegant design, Phantom Screens enables homeowners to experience a new level of comfort, style and versatility.

BENEFITS

Allows full ventilation


Maintains décor and view

Expands your living space

Protects against UV rays and insects
Integrates seamlessly into your home

Professionally installed

Backed by a limited lifetime warranty





LARGE

Imagine having motorized screens that disappear at the touch of a button. Or being able to screen a folding glass wall. Imagine being able to move seamlessly between indoor and outdoor spaces – without the intense glare of the sun or annoying mosquitoes. You can, thanks to Phantom's retractable screens for large openings. With Phantom Screens, outdoor living is an insect-free pleasure and summer entertaining at home is easy!



The motorized retractable screen for large openings

FEATURES

Retracts vertically
Weighted slidebar
Various mesh and color options
Optional sun and wind sensors
In-wall or hand-held remote controls

BENEFITS

Solar shading
Insect protection
Fresh air ventilation
Lower air conditioning costs

INSTALLATION OPTIONS

Surface mount
Recessed into walls, columns
and ceiling cavities



Applications

Executive screens are custom made and professionally installed to fit a wide variety of large openings.

ADDITIONAL APPLICATIONS

Large picture windows

Folding walls

Lift and slide door systems

Patios



Verandas/Lanais



Porches



Balconies



Customization

FINISHES

Wood Grain

Designer Colors

Choose from one of nine designer colors or decorative wood grain finishes.



Custom Color

Phantom Screens also offers a wide range of color options including a custom color matching program to blend our screens with any color scheme.

MESH

All mesh options seal out insects, reduce heat and glare as well as prevent fading of furnishings. There are 30 different mesh options to choose from. Speak with your Phantom Screens Representative to learn more.



STANDARDReduces up to 55% of UV rays



SOLARBlocks up to 75% of UV rays



PREMIUM SOLAR Blocks up to 80% of UV rays, provides significant shade and is available in multiple colors



PRIVACYBlocks up to 100% of UV rays, available in multiple colors

^{*} Please note that the appearance of the colors illustrated will differ from the actual coated samples or finished articles.

ARCHITECTURAL INTEGRATION

Customized to each building project, Executive screens merge perfectly with the décor to maintain the integrity of your design.

These retractable screens can be recessed from view or mounted on existing structures. Executive screens can be integrated into every type of architectural style including wood, brick, stucco, natural stone and concrete.

Recessed in Roman archways



Natural stone and wood



Recessed in columns



Stucco, brick and concrete



Controls and Automation

Phantom Screens has partnered with Somfy to provide a wide range of remote controls and sensor controls for Executive motorized retractable screens.



All Somfy's Telis hand-held remotes feature Radio Technology Somfy® (RTS) providing push button control. The Telis RTS collection is available in single or multiple channel versions. Each channel can be used to operate one screen or a group of screens at the same time from one remote control.



TELIS 16 CHANNEL



In addition Executive screens can be integrated into most home automation systems including Lutron and Crestron.


Wireless Switches


Somfy's DecoFlex WireFree™ switches are completely wireless, battery powered and available in four colors - white, ivory, black and almond.



WHITE

Sun and Wind Sensors








EOLIS RTS SENSORA wind sensor that can be used to automatically retract your screens into their protective housings in stormy conditions.



SOLIRIS RTS SENSOR A combined sun and wind sensor that automatically adjusts motorized screens depending on sun and wind intensity.



Specifications

Executive screens are custom fit and professionally installed for single openings as large as 25 feet wide by 16 feet tall. Refer to the chart below for maximum and minimum size dimensions.

STYLE	WIDTH	HEIGHT
4" housing	26" to 120"	Max 96'
5-½" housing	34" to 240"	Max 132'
7-1/8" housing	34" to 300"	Max 192'

FOR ILLUSTRATIVE PURPOSES ONLY NOT DRAWN TO SCALE

All components are color matched except mesh and bottom seal.


SURFACE MOUNT

EXECUTIVE DESIGN SPECIFICATIONS SYSTEM WITH STANDARD SIDE TRACK


(external assembled view)

PARTS SPECS


- **A** Housing assembly $[5-\frac{1}{2}$ W x $5-\frac{1}{2}$ H or $7-\frac{1}{8}$ W x $7-\frac{1}{8}$ H]
- B 8 x 1" corrosion resistant fastener (color matched) 3 fasteners per end cap
- **C** PVC coated fiberglass mesh or other (see mesh specifications)
- D Standard side track complete with cover [1-3/4" W x 1-7/32" D)
- **E** Slidebar complete with probe assembly
- F Bottom seal 4" shown (other options available)
- **G** Mounting surfaces



Cross sectional view of the standard side track



Cross sectional view of the standard slidebar and 4" bottom seal




RECESSED MOUNT

EXECUTIVE DESIGN SPECIFICATIONS SYSTEM WITH RECESSED SIDE TRACK


(external assembled view)

PARTS SPECS


- A Roller assembly (4" or 5") complete with inserts (left and right)
- **B** PVC coated fiberglass mesh or other (see mesh specifications)
- C Recessed side track assembly (1-3/8" W x 2-7/64" D)
- D #8 or #10 corrosion resistant fastener. Type and length of screws may vary depending on type of mounting surface (minimum of 3 per side track and roller mounting angle)
- **E** Slidebar complete with probe assembly
- F Bottom seal 4" shown (other options available)




Cross sectional view of the fully assembled recessed side track




Roller mounting angle for 4" and 5" rollers



Cross sectional view of the slidebar and 4" bottom seal







DOORS

There's nothing like being able to leave your door wide open to enjoy the breeze, especially towards the end of a hot summer day. Retractable door screens by Phantom are insect screens which disappear out of sight into a discreet housing, giving you fresh air without the bugs — and won't spoil the look of your home.

They come in a wide variety of colors, sizes and mesh types, perfectly matching with your décor.



The retractable screen door with an integrated Latch and Release handle

FEATURES

Latch and Release handle
Fits most door types
Built-in lubricant
Glides smoothly along tracks
Various mesh and color options

BENEFITS

Insect protection
Fresh air ventilation
Retracts out of sight
Easy operation with secure closure

INSTALLATION OPTIONS

In-jamb mount
Surface mount



Applications

Legacy screens are custom made, professionally installed and designed to fit a variety of doorways.

Legacy's Latch and Release handle

automatically latches the screen in the closed position to prevent it from opening in breezy conditions. It is easy to use and quiet to operate.



Double-French doors



Single out-swing/in-swing doors



Sliding patio doors



Oversized doors



Customization

FINISHES

Wood Grain

Designer Colors

Choose from one of ten designer colors or decorative wood grain finishes.




Custom Color

Phantom Screens also offers a wide range of color options including a custom color matching program to blend our screens with any color scheme.

MESH

All mesh options seal insects out and provide some level of heat, glare and UV reduction.



STANDARDReduces up to 55% of UV rays



SOLARBlocks up to 75% of UV rays



PRIVACYBlocks up to 90% of UV rays, available in multiple colors

^{*} Please note that the appearance of the colors illustrated will differ from the actual coated samples or finished articles.

Specifications

Legacy screens are custom made and professionally installed for all door types. Maximum sizes are determined by the height and width ratios detailed in the chart below.

	WIDTH	HEIGHT
SINGLE UNIT	Max 48" Max 36"	78" to 100"
DOUBLE UNIT	Max 96" Max 72"	78" to 100"

FOR ILLUSTRATIVE PURPOSES ONLY NOT DRAWN TO SCALE

All components are color matched except mesh.


SURFACE MOUNT

LEGACY DESIGN SPECIFICATIONS

(external assembled view)

PARTS SPECS


- A Aluminum housing complete with nylon end caps 1-7/8" W x 2-49/64" D
- **B** Aluminum track
- C #8 x 2-1/2" flathead screw
- **D** #6 x 3/4" panhead screw
- **E** Screws position on mounting surface
- **F** Bumpons 1/2" Ø x 1/4" H
- **G** Outside nylon Latch and Release handle
- **H** Inside nylon Latch and Release handle
- I Aluminum slidebar
- J #6 x 5/8" panhead TEK screw
- K Nickel plated zinc lever components



M # 6/32 locknut S.S.


N Handle screw caps (2 per handle)


O Track catch



Detail of track position in relation to the housing and housing end cap

Head view







The retractable screen door with a magnet latching system

FEATURES

Magnet latch
Fits most door types
Glides smoothly along tracks
Various mesh and color options

BENEFITS

Insect protection
Fresh air ventilation
Retracts out of sight
Easy operation with secure closure
Simple "break away" on impact

INSTALLATION OPTIONS

In-jamb mount
Surface mount



Applications

Professional screens are custom made, professionally installed and designed to fit a variety of doorways.

Professional's Magnet Latch

The Professional screen is held in place with magnets and "breaks away" on impact to prevent damage to the screen mesh.



Double-French doors



Single out-swing/in-swing doors



Sliding patio doors



Oversized doors



Customization

FINISHES

Wood Grain

Designer Colors

Choose from one of ten designer colors or decorative wood grain finishes.



Custom Color

Phantom Screens also offers a wide range of color options including a custom color matching program to blend our screens with any color scheme.

MESH

All mesh options seal out insects, reduce heat and glare as well as prevent fading of furnishings.



STANDARDReduces up to 55% of UV rays



SOLARBlocks up to 75% of UV rays



PRIVACY
Blocks up to 90% of UV rays, available in multiple colors

^{*} Please note that the appearance of the colors illustrated will differ from the actual coated samples or finished articles.

Specifications

Professional screens are custom made and professionally installed for all door types. Maximum sizes are determined by the height and width ratios detailed in the chart below.

	WIDTH	HEIGHT
SINGLE	Max 48"	78" to 100"
UNIT	Max 36"	100 ½" to 120"
DOUBLE UNIT	Max 96"	78" to 100"
	Max 72"	100 ½" to 120"

FOR ILLUSTRATIVE PURPOSES ONLY NOT DRAWN TO SCALE

> All components are color matched except mesh.


SURFACE MOUNT

PROFESSIONAL DESIGN SPECIFICATIONS

(external assembled view)


PARTS SPECS

- Aluminum housing complete with nylon end caps $1-\frac{7}{8}$ W x $2-\frac{49}{64}$ D
- Aluminum track
- #8 x 2-1/2" flathead screw
- #6 x 3/4" panhead screw
- Screws position on mounting surface
- Bumpons 1/2" Ø x 1/4"H
- Outside nylon handle
- Inside nylon handle
- Aluminum slidebar
- #6 x 5/8" panhead TEK screw
- Corrosion resistant steel magnet strike plate




Nylon magnet housing


Handle screw caps (2 per handle)




Detail of track position in relation to the housing and housing end cap

Head view









WINDOWS

The trouble with traditional fixed window screens is that they're always there—compromising your view, making window cleaning difficult and detracting from the aesthetics of your home. With Phantom's retractable window screens you can enjoy insect-free ventilation and your view. They're available for all types and sizes of windows—even custom wood windows—and can be used for insect protection or solar shading. So when your home is basking in sunshine you can fling your windows wide open and welcome the breeze!



The retractable screen for all window types

FEATURES

Built-in latch

Mesh retention system

Various mesh and color options


Ergonomically designed handle

BENEFITS

Solar shading
Privacy
Insect protection
Fresh air ventilation
Retracts out of sight
Unobstructed views

INSTALLATION OPTIONS

In-jamb mount Surface mount



Applications

Serene screens are custom made and professionally installed to fit all window types.

ADDITIONAL APPLICATIONS

Sliding

Tilt and turn

Single-hung



Double-hung



Casement



Awning



Customization

FINISHES

Wood Grain

Designer Colors

Choose from one of eight designer colors or decorative wood grain finishes.

CLASSIC WHITE	SLIVERED ALMOND	SANDAL WOOD	DRIFTWOOD BEIGE	HARTFORD GREEN	RIDEAU BROWN	COASTAL GREY	PHANTOM BLACK	
LIGHT KNOTTY PINE	LIGHT FIR	LIGHT OAK	DARK KNOTTY PINE	DARK OAK	LIGHT CHERRY	DARK ACACIA	LIGHT ASH	LIGHT CEDAR
DARK FIR	DARK CHERRY	DARK ASH	DARK CEDAR	DARK WALNUT	MAHOGANY			

Custom Color

Phantom Screens also offers a wide range of color options including a custom color matching program to blend our screens with any color scheme.

MESH

All mesh options seal out insects, reduce heat and glare as well as prevent fading of furnishings.



STANDARDReduces up to 55% of UV rays



SOLARBlocks up to 75% of UV rays



PREMIUM SOLAR
Blocks up to 80% of UV rays,
provides significant shade and
is available in multiple colors



PRIVACYBlocks up to 100% of UV rays, available in multiple colors

^{*} Please note that the appearance of the colors illustrated will differ from the actual coated samples or finished articles.

Specifications

Serene screens are custom made and professionally installed for virtually any window application. Maximum sizes are determined by the height and width ratios detailed in the chart below.

	WIDTH	HEIGHT
SERENE	13 ½" to 84"	Max 90'

NOTE: Width/Height ratio limitations may apply. Your Phantom Screens Representative will confirm suitability based on site dimensions.

> FOR ILLUSTRATIVE PURPOSES ONLY NOT DRAWN TO SCALE

> > All components are color matched except the mesh.


SURFACE MOUNT


SERENE DESIGN SPECIFICATIONS

(external assembled view)

PARTS SPECS

- Aluminum track Standard version – 57/64" W x 1–3/8" H Narrow version – 57/64" W x 29/32" H
- Aluminum slidebar 3/32" W x 1-13/32" H
- C Aluminum housing assembly 2-19/64" W x 2-7/64" H
- PVC coated fiberglass mesh
- Flathead screw #6 x 3/4" (#5 head) depending on mounting surface
- Track screw hole cover
- Track latch
- (both sides)






IN-JAMB MOUNT


SERENE DESIGN SPECIFICATIONS

(external assembled view)

PARTS SPECS

- A Aluminum track Standard version - 57/64" W x 1-3/8" H Narrow version - 57/64" W x 29/32" H
- Aluminum slidebar 3/32" W x 1-13/32" H
- Aluminum housing assembly $2-\frac{19}{64}$ W x $2-\frac{7}{64}$ H
- PVC coated fiberglass mesh
- Flathead screw #6 x 3/4" (#5 head)- depending on mounting surface
- Track latch
- Mesh retention pile inside full track length (both sides)







The veneered retractable window screen for custom wood windows

FEATURES

Wide range of veneered wood finishes

Built-in latch

Mesh retention system

Ergonomically designed handle

Optional removable tracks


Completely stainable

BENEFITS

Insect protection
Fresh air ventilation
Retracts out of sight
Unobstructed views

INSTALLATION OPTIONS

In-jamb mount



Applications

Prestige screens are custom made and professionally installed to fit all window types.

Single-hung Double-hung Sliding Awning

Casement



Customization

FINISHES

Wood Veneer

Choose from one of seven wood veneer options.



Completely Stainable

Prestige screens can be stained to match any wood grain finish, thereby allowing them to blend perfectly with your custom wood windows.

MESH

Prestige screens feature BetterVue mesh which delivers insect protection with excellent visibility, making your view distinct and more vibrant.



STANDARDReduces up to 36% of UV rays

^{*} Please note that the appearance of the colors illustrated will differ from the actual coated samples or finished articles.

Specifications

Prestige screens are custom made and professionally installed for any wood window application.

Maximum sizes are determined by height and width ratios detailed in the chart below.

	WIDTH	HEIGHT
PRESTIGE	18" to 72"	Max 78"

FOR ILLUSTRATIVE PURPOSES ONLY NOT DRAWN TO SCALE

All components are color matched except mesh.


IN-JAMB MOUNT ONLY

PRESTIGE DESIGN SPECIFICATIONS

(external assembled view)

PARTS SPECS

- A Veneered aluminum track Fixed - 7/8"W x 1-11/32"H Removable - 7/8"w x 1-11/3"H
- B Wooden slidebar 1-1/2"W x 1-13/32"H
- $\begin{array}{ll} \textbf{C} & \text{Veneered aluminum housing assembly} \\ & 1^{-29/32}\text{"W x } 2^{-1/4}\text{"H} \end{array}$
- **D** PVC coated fiberglass mesh
- E Flathead screw #6 x 3/4" (#5 head) depending on mounting surface
- **F** Track latch
- **G** Mesh retention pile inside full track length (both sides)





There when you need us, enhancing your lifestyle, making us your choice for retractable screen solutions... experience Phantom.

Your Phantom Screens Representative 1.888.PHANTOM (81002-03)

CORPORATE OFFICE

Phantom Mfg. (Int'l) Ltd. 30451 Simpson Road Abbotsford, BC V2T 6C7 Canada

TF: 1.888.444.4142 Tel: 1.604.855.3654

phantom@phantomscreens.com

phantomscreens.com

USA MAIL P.O. Box 1907 Sumas, WA 98295-1907 USA

CANADA MAIL P.O. Box 2310 Abbotsford, BC V2T 4X2 Canada